

- (1) J. Lu, M. Prabhu, J. Song, Ch. Li, J. Xu, K. Ueda, A. Kaminskii, H. Yagi, T. Yanagitani, Optical properties and highly efficient laser oscillation of Nd:YAG ceramics, *Appl. Phys. B*, vol.71, 469-474 (2000).
- (2) J. Lu, M. Prabhu, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii, High efficiency 2% Nd:YAG ceramic laser, *Appl. Phys. Lett.*, vol.77, 3707-3709 (2000).
- (3) J. Lu, M. Prabhu, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii, High power Nd:YAG ceramic laser, *Jpn. J. Appl. Phys.*, vol. 39, L1048-L1050 (2000).
- (4) A. Kaminskii, H. Eichler, J. Lu, T. Murai, K. Ueda, H. Yagi, T. Yanagitani, Stimulated Raman emission of YAG crystal, *Phys. Stat. Sol. (a)*, vol. 181, N19-N20 (2000).
- (5) A.A.Kaminskii, H.J.Eichler, K.Ueda, S.N.Bagaev, G.M.A.Gad, J.Lu, T.Murai, H.Yagi and T.Yanagitani, Observation of stimulated Raman scattering in  $Y_3Al_5O_{12}$  single crystals and nanocrystalline ceramics and in these materials activated with laser ions  $Nd^{3+}$  and  $Yb^{3+}$ , *J ETP Letters*, vol.72, 499-502 (2000).
- (6) J. Lu, M. Prabhu, J. Song, Ch. Li, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. A. Kaminskii, Highly efficient Nd:YAG ceramic laser, *Jpn. J. Appl. Phys.*, vol.40, L552 - L554 (2001).
- (7) J. Lu, M. Prabhu, J. Song, Ch. Li, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A. A. Kaminskii, Highly efficient Nd:YAG ceramic laser, *Jpn. J. Appl. Phys.*, vol.40, L552 - L554 (2001).
- (8) J. Lu, T. Murai, K. Takaichi, T. Uematsu, K. Misawa, M. Prabhu, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, A. Kudryashov, 72 W Nd:Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> ceramic laser, *Appl. Phys. Lett.*, vol.78, 3586 - 3588 (2001).
- (10) J. Lu, K. Ueda H. Yagi, T. Yanagitani, Y. Akiyama, A.A.Kaminskii, Doped and undoped yttrium aluminium garnet ( $Y_3Al_5O_{12}$ ) nanocrystalline ceramics - a new generation of solid state laser and optical materials, *J. Alloy and Compounds*, vol.341, 220-225, 2002.
- (11) J. Lu, M. Prabhu, K. Ueda, H. Yagi, T. Yanagitani, A. Kudryashov, A.A.Kaminskii, Potential of ceramic YAG lasers, *Laser Physics*, vol.11, 1053-1057 (2001).
- (12) J. Lu, J. Lv, T. Murai, T. Takaichi, T. Uematsu, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii,  $Nd^{3+}:Y_2O_3$  ceramic laser, *Jpn. J. Appl. Phys.*, vol.40, L1277-1279 (2001).
- (13) K. Takaichi, J. Lu, T. Murai, T. Uematsu, K. Ueda, H. Yagi, T. Yanagitani, A.A. Kaminskii, Chromium doped  $Y_3Al_5O_{12}$  ceramics - a novel saturable absorber for passively Q-switched one-micron solid state lasers, *Jpn. J. Appl. Phys.*, vol.41, L96-L98 (2002).
- (14) J. Lu, J. Lu, T. Murai, A. Shirakawa, K. Ueda, T. Yanagitani, H. Yagi, V. Gabler, H. Eichler, A.A. Kaminskii, New highly efficient 1.3-mm cw laser generation of 4F<sub>3/2</sub> R 4I<sub>13/2</sub> channel in Nd<sup>3+</sup>:Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> ceramic under diode pumping, *Phys. Stat. Sol. (a)*, vol.189, R11-R13, 2002.
- (15) J. Lu, J. Lu, T. Murai, K. Takaichi, T. Uematsu, J. Xu, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, 36 W diode-pumped continuous-wave 1319 nm ceramic Nd:YAG laser, *Opt. Lett.*, vol.27, 1120-1122, 2002.
- (16) J. Lu, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii,,  $Yb^{3+}:Y_2O_3$  ceramics - a novel solid-state laser materials, *Jpn. J. Appl. Phys.* vol.41, L1373-L1375,

2002.

- (17) J. Lu, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Promising ceramic laser material: highly transparent Nd<sup>3+</sup>:Lu<sub>2</sub>O<sub>3</sub> ceramic, *Appl. Phys. Lett.*, vol.81, 4324-4326, 2002.
- (18) J. Lu, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Nd<sup>3+</sup>:YGdO<sub>3</sub> ceramic laser, *Laser Physics*, vol.13, 940 - 942, 2003.
- (19) A.A.Kaminskii, M. Akchurin, V. Alshits, K. Ueda, K. Takaichi, J. Lu, T. Uematsu, M. Musha, A. Shirakawa, V. Gabler, H. Eichler, H. Yagi, T. Yanagitani, S. Bagayev, J. Fernandez, R. Balda, New data on the physical properties of monocrystalline laser ceramic on the base of Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>, *Crystallography Reports*, vol.48, 515-519, 2003.
- (20) A.A.Kaminskii, K. Ueda, A. Konstantinova, H. Yagi, T. Yanagitani, A. Butashin, V. Orekhova, J. Lu, K. Takaichi, T. Uematsu, M. Musha, A. Shirakawa, Refractive indices of laser nanocrystalline ceramics based on Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>, *Crystallography Reports*, vol.48, 868-871, 2003.
- (21) J. Kong, J. Lu, K. Takaichi, T. Uematsu and K. Ueda, D. Y. Tang, D. Y. Shen, H. Yagi and T. Yanagitani, A.A.Kaminskii, Diode-pumped Yb:Y<sub>2</sub>O<sub>3</sub> ceramic laser, *Appl. Phys. Lett.*, vol. 82, 2556-2558, 2003.
- (22) K. Ueda, J. Lu, K. Takaichi, H. Yagi, T. Yanagitani, A.A.Kaminskii, Nd-doped ceramic YAG lasers and their future, *Rev. Laser Engineer.*, vol.31, 465-470, 2003.
- (23) J. Lu, J. F. Bisson, K. Takaichi, T. Uematsu, A. Shirakawa, M. Musha, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Yb<sup>3+</sup>:Sc<sub>2</sub>O<sub>3</sub> ceramic laser, *Appl. Phys. Lett.*, vol.83, 1101-1103, 2003.
- (24) J-F Bisson, Y. Feng, A. Shirakawa, H. Yoneda, J. Lu, H. Yagi, T. Yanagitani, K. Ueda, Laser Damage Threshold of Ceramic YAG, *Jpn. J. Appl. Phys.*, vol.42, L1025-L1027, 2003
- (25) J. Lu, K. Takaichi, T. Uematsu, J. F. Bisson, Y. Feng, A. Shirakawa, K. Ueda, H. Yagi, T. Yanagitani, A. A. Kaminskii, 110 W Ceramic Nd<sup>3+</sup>:Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> Laser, *Appl. Phys. B.*, vol.79, 25 - 28, 2004.
- (26) A. Shirakawa, K. Takaichi, H. Yagi, J-F Bisson, J. Lu, M. Musha, K. Ueda, T. Yanagitani, A.A.Kaminskii, Diode-pumped mode-locked Yb<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> ceramic lasers, *Opt. Exp.*, vol.11, 2911-2916, 2003.
- (27) K. Takaichi, J. Lu, A. Shirakawa, H. Yagi, K. Ueda, T. Yanagitani, A. A. Kaminskii, Yb<sup>3+</sup> doped Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> ceramics - A new solid-state laser material-, *Phys. Stat. Sol. (a)*, vol.200, No. 1, page R5-R7 (2003).
- (28) A. Kaminskii, K. Ueda, A. Konstantinova, H. Yagi, T. Yanagitani, A. Butashin, V. Orekhova, J. Lu, K. Takaichi, T. Uematsu, M. Musha, A. Shirakawa, Lasing and refractive indices of nanocrystalline ceramics of cubic yttrium oxide Y<sub>2</sub>O<sub>3</sub> doped with Nd<sup>3+</sup> and Yb<sup>3+</sup> ions, *Crystallography Reports*, vol.48, 1041 - 1043, 2003.
- (29) A.A. Kaminskii, K. Ueda, H. Eichler, S. Bagayev, K. Takaichi, J. Lu, H. Yagi, T. Yanagitani, Observation of nonlinear lasing c(3)-effects in highly transparent nanocrystalline Y<sub>2</sub>O<sub>3</sub> and Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> ceramics, *Laser Phys. Lett.*, vol.1, 4 - 10, 2004.
- (30) K. Takaichi, J. Lu, J-F Bisson, A. Shirakawa, K. Ueda, H. Yagi, T. Yanagitani, A. Kaminskii, Highly efficient Yb-doped Y<sub>2</sub>O<sub>3</sub> ceramic lasers at 1030nm and 1075nm, *Appl Phys. Lett.*, 84, 317-319, 2004.
- (31) J. Kong, D. Tang, J. Lu, K. Ueda, H. Yagi, T. Yanagitani, Diode-end-pumped 4.2-W continuous-wave Yb:Y<sub>2</sub>O<sub>3</sub> ceramic laser, *Opt. Lett.*, vol.29, 1212 - 1214, 2004.
- (32) J. Kong and D. Y. Tang, J. Lu and K. Ueda, H. Yagi and T. Yanagitani, Passively mode-locked Yb:Y<sub>2</sub>O<sub>3</sub>

- ceramic laser with a GaAs saturable absorber mirror, *Opt. Comm.*, vol.237, 165-168, 2004.
- (33)G. Kumar, J. Lu, T. Uematsu, A.A.Kaminskii, K. Ueda, H. Yagi, T. Yanagitani, N. Unnikrishnan, Spectroscopic and stimulated emission characteristics of Nd<sup>3+</sup> in transparent YAG ceramics, *IEEE QE*, vol.40, 747 - 758, 2004.
- (34)Yu. Barabanenko, S. Ivanov, E. Khazanov, H. Yagi, T. Yanagitani, K. Takaichi, J. Lu, J. Bisson, A. Shirakawa, K. Ueda, A.A.Kaminskii, Nonequilibrium acoustic phonons in Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>-based nanocrystalline ceramics, *JETP Lett.*, vol.79, 342-345, 2004.
- (35)Y. Feng, J. Lu, K. Takaichi, K. Ueda, H. Yagi, T. Yanagitani, A.A.Kaminskii, Passively Q-Switched Ceramic Nd<sup>3+</sup>:YAG/Cr<sup>4+</sup>:YAG Lasers, *Appl. Opt.*, vol. 43, 2944-2947, 2004.
- (36)Yu. Senatsky, A. Shirakawa, Y. Sato, J. Hagiwara, J. Lu, K. Ueda, H. Yagi, T. Yanagitani, Nonlinear refractive index of ceramic laser media and perspectives of their usage in a high-power laser-driver, *Laser Phys. Lett.*, vol.1, 500-506, 2004.
- (37)G. Qin, J. Lu, J.F. Bisson, Y. Feng, K. Ueda, H. Yagi, T. Yanagitani, Upconversion luminescence of Er<sup>3+</sup> in highly transparent YAG ceramics, *Sol. Stat. Comm.*, vol.132, 103-106, 2004.
- (38)A.A.Kaminskii, S. Bagayev, K. Ueda, K. Takaichi, J. Lu, A. Shirakawa, H. Yagi, T. Yanagitani, H. Eichler, H. Rhee, Observation stimulated Raman scattering in nanocrystalline Sc<sub>2</sub>O<sub>3</sub> ceramics, *Laser Phys. Lett.*, vol.2, 30-35, 2005.
- (39)K. Takaichi, H. Yagi, J. Lu, J-F Bisson, T. Petrov, A. Shirakawa, K. Ueda, T. Yanagitani, A.A.Kaminskii, Yb<sup>3+</sup>-doped ceramic lasers, *OSA TOPS*, vol.94, 217-221, 2004.
- (40)A. Shirakawa, K. Takaichi, H. Yagi, M. Tanisho, J-F. Bisson, J. Lu, K. Ueda, T. Yanagitani, A. Kaminskii, First mode-locked ceramic laser: femtosecond Yb<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> ceramic laser, *Laser Phys.*, vol.14, 1375-1381, 2004.
- (41)J.-F. Bisson, J. Lu, K. Takaichi, Y. Feng, M. Tokuragkwa, A. Shirakawa, A.A. Kaminskii, H. Yagi, Y. Yanagitani, K. Ueda, Nanotechnology is stirring up solid-state laser fabrication technology, *Recent Res. Devel. Applied Phys.*, vol.7, 475-496, 2004.
- (42)K. Takaichi, H. Yagi, A. Shirakawa, K. Ueda, S. Hosokawa, T. Yanagitani, A. Kaminskii, Lu<sub>2</sub>O<sub>3</sub>:Yb<sup>3+</sup> ceramic - a novel gain material for high-power solid-state lasers, *Phys. Stat. Sol. (a)*, vol.202, R1-R3, 2005. (Rapid Research Letters).
- (43)S. Strohmaier, H. Eichler, J.F. Bisson, K. Takaichi, K. Ueda, H.Yagi, T. Yanagitani, A.A.Kaminskii, Ceramic Nd:YAG laser at 946 nm, *Laser Phys. Lett.*, vol.2, 383 - 386, 2005.
- (44)J. Kong, D. Tang, B. Zhao, J. Lu, K. Ueda, H. Yagi, T. Yanagitani, 9.2-W diode-end-pumped Yb:Y<sub>2</sub>O<sub>3</sub> ceramic laser, *Appl. Phys. Lett.*, vol.86, 161116, 2005.
- (45)K. Ueda, J-F. Bisson, H. Yagi, K. Takaichi, A. Shirakawa, T. Yanagitani, A. A. Kaminskii, Scalable ceramic lasers, *Laser Physics*, vol.15, 927-938, 2005.
- (46)A.A. Kaminskii, M. Akchurin, R. Gainutdinov, K. Takaichi, A. Shirakawa, H. Yagi, T. Yanagitani, K. Ueda, Microhardness and fracture toughness of Y<sub>2</sub>O<sub>3</sub>- and Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>-based nanocrystallin laser ceramics, *Crystallography Reports*, vol.50, 869-873, 2005.
- (47)S. Ivanv, Y. Barabanenkov, A. Taranov, E. Khazanov, H. Yagi, T. Yanagitani, K. Takaichi, J. Lu, J.F. Bisson, A. Shirakawa, K. Ueda, S. Bagayev, A.A.Kaminskii, Non-equilibrium

- acoustic phonons in nanocrystalline ceramics based on C-modification of  $Y_2O_3$  sesquioxide, *Phys. Stat. Sol. B*, vol. 242, 1983-1989, 2005.
- (48) A.A. Kaminskii, S. Bagayev, K. Ueda, K. Takaichi, H. Yagi, T. Yanagitani, 5.5 J pyrotechnical pumped  $Nd^{3+}:Y_3Al_5O_{12}$  ceramic laser, *Laser Phys. Lett.*, vol.3, 124 - 128, 2006.
- (49) A.A. Kaminskii, S. Bagaev, H. Eichler, K. Ueda, K. Takaichi, A. Shirakawa, H. Yagi, T. Yanagitani, H. Rhee, Observation of high-order Stokes and anti-Stokes c(3)-generation in highly transparent laser-host  $Lu_2O_3$  ceramics, *Laser Physics Letters*, vol.3, 310 - 313, 2006.
- (50) A.A. Kaminskii, S. Bagayev, K. Ueda, K. Takaichi, A. Shirakawa, S. Ivanov, E. Khazanov, A. Taranov, H. Yagi, T. Yanagitani, New results on characterization of highly transparent C-modification  $Lu_2O_3$  nanocrystalline ceramics: room-temperature tunable CW laser action of  $Yb^{3+}$  ions under LD-pumping and the propagation kinetics of non-equilibrium acoustic phonons, *Laser Phys. Lett.*, vol.3, 375-379, 2006.
- (51) J. Dong, A. Shirakawa, K. Ueda, H. Yagi, T. Yanagitani, A.A. Kaminskii, Efficient  $Yb^{3+}:Y_3Al_5O_{12}$  ceramic microchip lasers, *Appl. Phys. Lett.*, 89, 091114 (2006).
- (52) G.A. Kumara, J. Lu, A.A. Kaminskii, K. Ueda, H. Yagi, T. Yanagitani, Spectroscopic and stimulated emission characteristics of  $Nd^{3+}$  in transparent  $Y_2O_3$  ceramics, *IEEE J. Quantum Electronics*, vol.42, 643-650 (2006)
- (53) H. Yagi, K. Takaichi, K. Ueda, Y. Yamasaki, T. Yanagitani, and A.A. Kaminskii: "The physical properties of composite YAG ceramics," *Laser Physics*, Vol.15, No9, pp1338-1344, (2005).
- (54) H. Yagi, J.F. Bisson, K. Ueda, and T. Yanagitani: " $Y_3Al_5O_{12}$  ceramic absorbers for the suppression of parasitic oscillation in high-power Nd:YAG lasers", *Journal of Luminescence*, Vol.121, pp88-94, (2006).
- (55) H. Yagi, T. Yanagitani, and K. Ueda: " $Nd^{3+}:Y_3Al_5O_{12}$  laser ceramics: Flashlamp pumped laser operation with a UV cut filter", *Journal of Alloys and Compounds*, Vol.421, pp195 - 199, (2006).
- (56) H. Yagi, K. Takaichi, K. Ueda, T. Yanagitani, and A.A. Kaminskii: "Influence of annealing conditions on the optical properties of chromium-doped ceramic  $Y_3Al_5O_{12}$ ", *Optical Materials*. Vol.29, No.4,, pp392-396 (2006).
- (57) H. Yagi, T. Yanagitani, T. Numazawa, and K. Ueda: " The physical properties of transparent  $Y_3Al_5O_{12}$  - Elastic modulus at high temperature and thermal conductivity at low temperature", *Ceramics International*. Vol.33, pp711-714 (2007).
- (58) H. Yagi, T. Yanagitani, H. Yoshida, M. Nakatsuka, and K. Ueda: "The optical properties and laser characteristics of  $Cr^{3+}$  and  $Nd^{3+}$  co-doped  $Y_3Al_5O_{12}$  ceramics", *Optics & Laser Technology*. Vol. 36, No6, pp1295-1300 (2007).
- (59) H. Yagi, T. Yanagitani, K. Takaichi, K. Ueda, and A.A. Kaminskii: "Characterization and laser performance of highly transparent  $Nd^{3+}:YAG$  ceramics", *Optical materials*. Available online 2006.
- (60) H. Yagi, T. Yanagitani, H. Yoshida, M. Nakatsuka, and K. Ueda: "Highly efficient flashlamp-pumped  $Cr^{3+}$  and  $Nd^{3+}$  co-doped  $Y_3Al_5O_{12}$  ceramic laser", *Japanese Journal of Applied Physics*, Vol. 45, No. 1A, 2006, pp.133-135.
- (61) H. Yagi, K. Takaichi, K. Hiwada, K. Ueda, and T. Yanagitani: "Side-pumped  $Nd^{3+}:Y_3Al_5O_{12}$  composite

- ceramic laser”, Japanese Journal of Applied Physics, Vol45, No7, 2006, ppL207-209.
- (62) J.Dong, A.Shirakawa, K.Takaichi, K.Ueda, H.Yagi, T.Yanagitani, and A.A.Kaminskii, “All-ceramic passively Q-switched Yb:YAG/Cr<sup>4+</sup>:YAG microchip laser”, Electronics Letters, 28<sup>th</sup> September, 2006, Vol.42, No.20.
- (63) M.Tokurakawa, K.Takaichi, A.Shirakawa, K.Ueda, H.Yagi, S.Hosokawa, T.Yanagitani, and A.A.Kaminskii, “Diode-pumped mode-locked Yb<sup>3+</sup>:Lu<sub>2</sub>O<sub>3</sub> ceramic laser”, Optics Express, Vol.14, No26, pp12832 (2006).
- (64) M.Tokurakawa, K.Takaichi, A.Shirakawa, K.Ueda, H.Yagi, T.Yanagitani, A.A.Kaminskii, “Diode-pumped 188 fs mode-locked Yb<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> ceramic laser”, Appl, Phys, Lett. 90, 071101 (2007).
- (65) K. Takaichi, H. Yagi, P. Becker, A. Shirakawa, K. Ueda, L. Bohat<sup>□</sup>, T. Yanagitani, A.A. Kaminskii, “ New data on investigation of novel laser ceramic on the base of cubic scandium sesquioxide: two-band tunable CW generation of Yb<sup>3+</sup>:Sc<sub>2</sub>O<sub>3</sub> with laser-diode pumping and the dispersion of refractive index in the visible and near-IR of undoped Sc<sub>2</sub>O<sub>3</sub>, Laser Physics Letter, Vol.4, No7, pp507-510, 2007.
- (66)Kong, J; Tang, D Y; Chan, C C; Lu, J; Ueda, K; Yagi, H; Yanagitani, T, “High-efficiency 1040 and 1078 nm laser emission of a Yb:Y<sub>2</sub>O<sub>3</sub> ceramic laser with 976 nm diode pumping”, Optics Letters, Vol. 32 Issue 3, pp.247-249 (2007)
- (67)J.Dong, A.Shirakawa, K.Ueda, H.Yagi, T.Yanagitani and A.A.Kaminskii, “Near-diffraction-limited passively Q-switched Yb:Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> ceramic lasers with peak power > 150kW”, Appl. Phys. Lett, Vol.90, pp131105 (2007).
- (68)J.Dong, A.Shirakawa, K.Ueda, H.Yagi, T.Yanagitani and A.A.Kaminskii: “ Ytterbium and chromium doped composite Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> ceramics self-Q-switched laser”, Appl..Phys.Lett.90,191106 (2007).
- (69)J.Dong., A.Shirakawa, K.Ueda, H.Yagi, T.Yanagitani and A.A.Kaminskii: “Laser-diode pumped heavy-doped Yb:YAG ceramic lasers”, Optics Letters, Vol.32,No.13, p1890 (2007).
- (70)J.F.Bisson, H.Yagi, T.Yanagitani, A.A.Kaminskii, Y. Baravanenkov and K.Ueda: “Influence of the grain boundaries on the heat transfer in laser ceramics”, Optical Review, Vol.14, No.1, pp1-13 (2007).
- (71)R.Yasuhara, S.Tokita, J.Kawanaka, T.Kawashima, H.Kan, H.Yagi, H.Noshawa, T.Yanagitani, Y.Fujimoto, H.Yoshida, and M. Nakatsuka, “Cryogenic temperature characteristics of Verdet constant on terbium gallium garnet ceramics”, Optics Express, vol.15, No.18, 11255 (2007).
- (72)J.Dong, K.Ueda., A.Shirakawa, H.Yagi, T.Yanagitani, and A.A.Kaminskii, “Composite Yb:YAG/Cr<sup>4+</sup>:YAG ceramics picosecond microchip lasers”, Optics Express, Vol.15, No.22, 14516 (2007).
- (73)R.Yasuhara, S.Tokita, J.Kawanaka, T.Kawashima, H.Kan, H.Yagi, H.Nozaawa, T.Yanagitani, Y.Fujimoto, H.Yoshida and M.Nakatsuka, “Measurement of Magnet-Optical Property and Thermal conductivity on TGG ceramics for Faraday Material of High-Peak and High Average power laser”, The Review of Laser Engineering, Vol.35, pp806-810 (2007), in Japanese.
- (74)M.Tokurakawa, A.Shirakawa, K.Ueda, H.Yagi, T.Yanagitani and A.A.Kaminskii, “Diode-pumped sub 100 fs Kerr-lens mode-locked Yb<sup>3+</sup>:Sc<sub>2</sub>O<sub>3</sub> ceramic laser”, Optics Letters, Vol.32, No.23, pp3382-3384 (2007).

- (75) A.A.Kaminskii, H.Rhee, H.J.Eichler, K.Ueda, K.Takaichi, A.Shirakawa, M.Tokurakawa, J.Dong, H.Yagi and T.Yanagitani, "New nonlinear-laser effects in crystalline fine-grained ceramics based on cubic Sc<sub>2</sub>O<sub>3</sub> and Lu<sub>2</sub>O<sub>3</sub> oxides: second and third harmonic generation, and cascaded self-sum-frequency mixing in UV spectra region", *Laser Physics Letter*, 5, No2, pp109-113 (2008)
- (76) A.A.Kaminskii, M.Sh.Akchurin, P.Becker, K.Ueda, L.Bohaty, A.Shirakawa, M.Tokurakawa, K.Takaichi, H.Yagi, J.Dong and T.Yanagitani, "Mechanical and optical properties of Lu<sub>2</sub>O<sub>3</sub> host-ceramics for Ln<sup>3+</sup> lasants", *Laser Physics Letters*, Vol.5, pp300-303 (2008)
- (77) M.Tokurakawa, A.Shirakawa, K.Ueda, H.Yagi, S.Hosokawa, T.Yanagitani, and A.A.Kaminskii, "Diode-pumped 65fs Ker-lens mode-locked Yb<sup>3+</sup>:Lu<sub>2</sub>O<sub>3</sub> and nondoped Y<sub>2</sub>O<sub>3</sub> combined ceramic laser", *Optics Letters*, Vol.33, Issue12, pp1380-1382 (2008).
- (78) J.Dong, K.Ueda, H.Yagi and A.A.Kaminskii, "Laser-Diode Pumped Self-Q-switched Microchip Lasers", *Optical Review*, Vol.15, No.2, pp57-74 (2008).
- (79) 柳谷高公、八木秀喜：セラミックレーザー材料の現状と将来、*レーザー研究* Vol.36, No9, pp544-548 (2008).
- (80) 柳谷高公、八木秀喜：Yb 添加セラミックレーザー材料、*光学* 38 卷 1 号 pp33-39 (2009).
- (81) M.Tokurakawa, A.Shirakawa, K. Ueda, H.Yagi, N.Meichin, T. Yanagitani, and A.A. Kaminskii: "Diode-pumped ultrashort-pulse generation based on Yb:Sc<sub>2</sub>O<sub>3</sub> and Yb:Y<sub>2</sub>O<sub>3</sub> ceramic multi-gain-media oscillator, *Optics Express*, Vol.17, No5, 3354 (2009).
- (82) J. Dong, K. Ueda, H. Yagi, A.A. Kaminskii, Z. Cai: "Comparative study the effect of Yb concentrations on laser characteristics of Yb:YAG ceramics and crystals", *Laser Physics Letter*, Vol.6, pp282-289 (2009).
- (83) A.A. Kaminskii, S.N. Bagaev, K. Ueda, H. Yagi, H.J. Eichler, A. Shirakawa, M. Tokurakawa, H. Rhee, K. Takaichi, T. Yanagitani: "Nonlinear-laser  $\chi^{(3)}$ -effects in novel garnet-type fine-grained ceramic-host {YGd<sub>2</sub>}[Sc<sub>2</sub>](Al<sub>2</sub>Ga)O<sub>12</sub> for Ln<sup>3+</sup> lasants, *Laser Physics Letter* Vol.6, pp.671-677, 2009
- (84) A.A. Kaminskii, S.N. Bagaev, K. Ueda, A. Shirakawa, T. Tokurakawa, H. Yagi, T. Yanagitani, J. Dong: "Stimulated-emission spectroscopy of fine-grained "garnet" ceramics Nd<sup>3+</sup>:Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> in a wide temperature range between 77 and 650 K, *Laser Physics Letter* Vol.6 pp.682-687, 2009.
- (85) Wei Zhao, Cedric Mancini, David Amans, Georges Boulon<sup>1</sup>, Thierry Epicier, Yin Min, Hideki Yagi Takagimi Yanagitani, Takayuki Yanagida, and Akira Yoshikawa "Evidence of the Inhomogeneous Ce<sup>3+</sup> Distribution across Grain Boundaries in Transparent Polycrystalline Ce<sup>3+</sup>-Doped (Gd,Y)<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> Garnet Optical Ceramics", *Jpn. J. Appl. Phys.* **49** (2010) 022602
- (86) J. Dong, K.Ueda, H.Yagi and A.A.Kaminskii: "Effect of polarization state on the laser performance of passively Q-switched Yb:YAG/Cr:YAG microchip lasers", *IEEE Quantum Electronics*, Vol.46, No.1, pp50-56 (2010).
- (87) M.Tokurakawa, H.Kurokawa, A.Shirakawa, K.Ueda, H.Yagi, T.Yanagitani and A.A.Kaminskii: "Continuous-wave and mode-locked lasers on the base of partially disordered crystalline Yb:{YGd<sub>2</sub>}Sc<sub>2</sub>(Al<sub>2</sub>Ga)O<sub>12</sub> ceramics", *Optics Express* Vol.18, No5, 4390-4395 (2010).
- (88) H.Okada, M.Tanaka, H.Kiriyama, Y.Nakai, Y.Ochi, A.Sugiyama, H.Daido, T.Kimura, T.Yanagitani, H.Yagi and N.Meichin: "Laser ceramic materials for subpicosecond solid-state lasers using Nd-doped mixed

- scandium garnets", *Optics Letters*, Vol.35, No.18,3048-3050 (2010).
- (89)P.Samuel, T.Yanagitani, H.Yagi, H.Nakao, K.Ueda and S.MoorthyBabu, "Efficient energy transfer between Ce and Nd in cerium codoped Nd:YAG laser quality transparent ceramics" , *J. Alloys and compd*, 507, 2010, pp475-478
- (90)T.Yanagita, H.Takahashi, T.Ito, D.Kasama, T.Endo, M.Sato, S.Hirakuri, M.Kokubun, K.Mikishima, T.Yanagitani, H.Yagi, T.Shigeta and T.Ito, "Evaluation of Properties of YAG (Ce) Ceramic Scintillators", *IEEE Trans. Nucl. Sci.* Vol.52, (5). pp1836 (2005).
- (91)H. Takahashi, T. Yanagida, D. Kasama, T. Ito, M. Kokubun, K. Makishima, T. Yanagitani, H. Yagi, T. Shigeta, and T. Ito, "The Temperature Dependence of Gamma-Ray Responses of YAG:Ce Ceramic Scintillators", *IEEE Trans. Nucl. Sci.* Vol.53 (4), pp2404 (2006).